


03500.015635



*Cafe*  
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
NORIYUKI KAIFU, et al.	:	Examiner: G. Wang
Appl. No.: 09/916,269	)	
	:	Group Art Unit: 2871
Filed: July 30, 2001	)	
	:	
For: RADIATION IMAGE SENSING	)	
APPARATUS	:	
	)	
U.S. Patent No.: 6,847,698	:	
	)	
Issued: January 25, 2005	:	November 30, 2005

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**CERTIFICATE OF CORRECTION**  
**UNDER RULES 322 AND 323**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

12/02/2005 HDEHESS1 00000030 6847698

01 FC:1811


100.00 DP

**Certificate**  
**DEC 06 2005**  
**of Correction**

DEC 6 2005

Patentees' undersigned attorney may be reached in our Costa Mesa,  
California office by telephone at (714) 540-8700. All correspondence should continue to  
be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Frank L. Cire', written over a horizontal line.

Frank L. Cire  
Attorney for Patentees  
Registration No.: 42,419

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

CA\_MAIN 103044v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,847,698

DATED : January 25, 2005

INVENTOR(S) : NORIYUKI KAIFU, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 4:

Line 55, "much" should read --many--.

COLUMN 6:

Line 24, "Such the small" should read --Such small--.

COLUMN 10:

Line 24, "letting a" should read --letting  $\alpha$ --.

Line 30, "**152** set" should read --**152** is set--.

COLUMN 11:

Line 34, "operation B4" should read --operation B<sub>4</sub>--.

Line 63, "cancel" should read --cancels--.

COLUMN 12:

Line 11, "images" should read --image--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,847,698

No. of add'l. copies  
@ 30¢ per page



DEC 6 2005

DEC

6 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,847,698

DATED : January 25, 2005

INVENTOR(S) : NORIYUKI KAIFU, et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 4:

Line 55, "much" should read --many--.

COLUMN 6:

Line 24, "Such the small" should read --Such small--.

COLUMN 10:

Line 24, "letting a" should read --letting  $\alpha$ --.

Line 30, "**152** set" should read --**152** is set--.

COLUMN 11:

Line 34, "operation B4" should read --operation B<sub>4</sub>--.

Line 63, "cancel" should read --cancels--.

COLUMN 12:

Line 11, "images" should read --image--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,847,698

No. of add'l. copies  
@ 30¢ per page

